
 POOR PERCOLATION AREA

NOTES:

1. SUMPS MAY ONLY BE USED IF THE CITY ENGINEER APPROVES SUMPS BASED ON SOILS REPORTS W/ PERCOLATION RATES.

Z:\DS_ENG\DETAILS\2023 DETAILS\2023 Storm Details.dwg




CONSTRUCTION STANDARD
DRAWINGS

CITY OF OREM


POOR PERCOLATION MAP

REV. 4/2024

SD-8



DRINKING WATER SOURCE PROTECTION ZONES



NOTES:

1. SUMPS ARE NOT ALLOWED IN 250 DAY TRAVEL ZONE.
2. THE DELINEATION ZONES FOR DRINKING WATER SOURCE PROTECTION HAVE BEEN ESTABLISHED BY PROFESSIONAL STUDIES AND BEEN APPROVED BY THE DRINKING WATER DIVISION OF THE UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY.
3. THIS MAP IS FOR REFERENCE ONLY. DETERMINATION OF WELLHEAD PROTECTION ZONE BOUNDARIES AS APPLIES TO A SPECIFIC PROPERTY MUST BE APPROVED BY THE CITY ENGINEER.

Z:\DS_ENG\DETAILS\2023 DETAILS\2023 Storm Details.dwg



CONSTRUCTION STANDARD DRAWINGS

CITY OF OREM

DRINKING WATER SOURCE PROTECTION ZONES

REV. 4/2024
SD-9